

lumenpulse™



lumencore
short cylinders



Pendant Stem
Nano 9"



Pendant Cable
Nano 9"



Surface Mount
Nano 6"

GROWING SMALLER

We're extending the reach of our Lumencore Cylinders family with two shorter versions. The Lumencore Short Cylinder Nano and Small. Architects, lighting designers, and interior designers can now have all the tried and true technological and aesthetic features of our larger Lumencore Cylinders in a smaller luminaire designed for more intimate settings.

NEW GROUND

With a number of bezel and finish colors, and a choice of Pendant or Surface Mount, these Lumencore Cylinders continue to go where no Lumencore Cylinder has gone before.

The option of an integrated, remote, or surface-mount driver puts the Lumenpulse Lumencore Short Cylinder Nano and Small exactly where you want them to be. The remote driver can be placed more than 50' away, ensuring a low profile for the luminaire.




Products shown:
Lumencore Short Cylinder Nano Pendant, Cable Mount, 6"
Lumencore Short Cylinder Small Pendant, Cable Mount, 6"



Products shown:
Lumencore Short Cylinder Small Pendant,
Stem Mount, 6"

FAMILY MATTERS



The Lumenpulse Lumencore Short Cylinder Nano and Small have all the market-leading performance that has made the Lumencore Cylinders family such a success, but in a smaller package. This includes the same array of optics, outputs, field-changeable accessories, and long-lifetime thermal design.

With the introduction of these luminaires, the Lumencore Cylinders family can now be scaled to more environments than ever before. Available in lengths from 6" to 23" with diameters of 2 3/4" to 8", Lumencore Cylinders are the most versatile product family on the market.

REAL PERFORMERS


Completely control agnostic with best-in-class outputs of up to 2000lm and color temperatures from 2200K to 4000K. What this means for the educational, corporate, retail, and hospitality sectors is a quality of light that will give each space a signature unlike any other.




Product shown:
Lumencore Short Cylinder Nano
Surface Mount, 9"

FEATURES & OPTIONS

Optics




Mounting




Installation Type



Sizes



Color temperatures



Color Rendering

80+ | 90+ | 95+

Outputs

700lm | 1000lm | 1300lm | 2000lm

Control Options


- On/Off Control
- DAMC, 0-10V 1%, or Pro 0-10V 0.1% (linear or logarithmic)
- Phase Dimming
- Phase Dimming 1%
- Lutron® Hi-lume Premier 0.1% EscoSystem® PEQO Soft-on/Fade-to-Black

- DALI 1% or Pro DALI 0.1% (linear or logarithmic)
- DALI-2 Type 8
- DMX/RDM
- **lumen talk**

Options vary according to model. Consult specification sheets.

LITTLE WONDER

At 6" and 9" in length, with diameters of 2 3/4" and 4", field-changeable accessories, and a number of bezel and finish colors, it's little wonder the Lumencore Short Cylinder Nano and Small can accent any aesthetic and be right at home in lower ceiling situations.



Product shown:
Lumencore Short Cylinder Small Pendant,
Stem Mount, 9"

Lumencore Short Cylinders // 6" - 9"

Nano Small

Pendant (Cable and Stem)



Lumencore Short Cylinder Nano Pendant



Lumencore Short Cylinder Small Pendant

Surface Mount



Lumencore Short Cylinder Nano Surface Mount



Lumencore Short Cylinder Small Surface Mount

Lumencore Cylinders // 13" - 18" - 23"

Nano Small Medium Large

Pendant (Cable, Stem, and Track)



Lumencore Cylinder Nano Pendant



Lumencore Cylinder Small Pendant



Lumencore Cylinder Medium Pendant



Lumencore Cylinder Large Pendant

Surface Mount



Lumencore Cylinder Nano Surface Mount



Lumencore Cylinder Small Surface Mount



Lumencore Cylinder Medium Surface Mount



Lumencore Cylinder Large Surface Mount

Wall Mount (Direct, Indirect and Direct/Indirect)



Lumencore Cylinder Nano Wall Mount



Lumencore Cylinder Small Wall Mount



Lumencore Cylinder Medium Wall Mount



Lumencore Cylinder Large Wall Mount



Corporate Headquarters

1220 Marie-Victorin Blvd.
Longueuil, QC
J4G 2H9 Canada

T +1.877.937.3003
T +1.514.937.3003
F +1.514.937.6289

US Headquarters

14 Beacon Street, 3rd Floor
Boston, MA
02108 United States

T +1.877.937.3003
T +1.617.307.5700
F +1.617.350.9912

info@lumenpulse.com
www.lumenpulse.com

© Lumenpulse™

Printed in Canada
2024 / 07

139125_REV 5

