lumenpulse[™]



Form Factor

The fixture itself may be hard to see, but the Lumenfacade Nano has been turning heads for some time. Since its introduction, Lumenfacade Nano has continually punched above its weight class. Now, with heightened performance, new wattages, CRI 90+, and multiple 3G vibration rated options, you genuinely get a small-scale premium fixture with full-scale features.











GOOD THINGS, SMALL PACKAGE

The Lumenfacade Nano might be small, but it is mighty. With higher wattages and outputs, the Lumenfacade Nano has phenomenal reach with the form factor to be hidden in hard-to-reach places.

REALLY GOOD VIBRATIONS

The durable Lumenfacade Nano's flexibility has increased to meet your wildest design dreams. Now, with 3G vibration-rated options, the Lumenfacade Nano can meet needs of even more exciting applications.

PREMIUM PERFORMANCE

Lumenpulse's commitment to colour quality is second to none and the Lumenfacade Nano upholds our dedication. On top of various colours, colour temperatures, and static colours options, the Lumenfacade Nano is also available with colour rendering capabilities of CRI 80+ and CRI 90+.



Full-Scale Features, Small-Scale Fixture

Offering a wealth of possibilities for architectural and commercial applications, the Lumenfacade Nano with its premium features can enhance every architecture, all the while hiding in plain sight.

Big things, small package:

- NEW Higher wattages and outputs.
- NEW 3G Vibration-rated mounting options.
- NEW CRI 80+ and CRI 90+ colour rendering.
- Minimal visibility in low-scale applications.
- Clean aesthetics to blend with any design.
- Architecturally attuned mountings.
- Optimal optics and optical accessories.



- Lumenfacade Nano 2W 10°x60°
 Lumenfacade Nano 7W 10°x30°
- 2. Lumenfacade Nano 4W Wallwash
- 5. Lumenfacade Nano 7W 10°x10°
- 3. Lumenfacade Nano 4W 10°x30°

6

play


Performance-Oriented

Don't be fooled. Its compact form by no means limits the power and performance of the Lumenfacade Nano. This is a comparable delivery to the Lumenfacade RO, but using only half the wattage.

7W Fixture Outperforms 8.5W Lumenfacade

Typical Grazing Application: 8° × 8° (4000 K, 1 ft)

Candelas for Maximum Reach



Light That Keeps On Giving

The multi-faceted Lumenfacade Nano showcases Lumenpulse's unparalleled approach to facade lighting. Easily configurable, this luminaire will grant you a toolbox brimming with features and solutions. With over 4,000,000 possible configurations, you can select between a variety of lengths, CCTs, and dynamic offering, tailoring the Nano to fit your design needs and to integrate seamlessly with the architecture.

Lengths 1 305 mm 610 mm 915 mm 1219 mm

Wattage **Colour Rendering**

Colours and Colour Temperatures









































6.6 W/m 13.1 W/m 22.9W/m 26.2W/m

























CRI 80+

CRI 90+

Controls

ON/OFF

DALI

DALI-2 TYPE 8

IP66



Certifications and Ratings















CRC

3GV*

Optics





























Mountings

10° x 30°







Wall Mount Surface Ground



Extended Arm

Finishes





Bronze Sandtex®





Silver Sandtex®



White

and Finish (please specify

Options vary according to model. Consult specification sheets.

10 11

 $^{^{\}rm 1}\,\text{Nominal lengths}.$

^{*}Available on select mounting options.

Futureproof

Built to Last

No power supply inside the fixtures means they will last as long as the LEDs keep shining.

Easy to Install, Easy to Maintain

A single source of power at the beginning of the run makes installation and service a snap.

Safe, Connected Design

The powered by Lumengrid, 48V DC low-voltage system is safe and flexible.

Control Ready, Control Upgradeable

Control-agnostic architecture means you can add, change, or upgrade controls later—all without changing out the fixtures.


DMX/RDM

DALI-2 T8

DALI

ON/OFF

1-10V



Lumenpulse Low-Voltage Network

Plug+Play Connectors



Bold Colour, Small Footprint

It's time to take your signature design to new heights, no matter how small a footprint for fixtures is available. Because Lumengrid powers the Lumenfacade Nano, your project can enjoy the benefits of harmonized CCT and dynamic colour changing and white lighting. Your projects and onlookers with thank you.




Fast Is Even Faster and Foolproof

- The Lumenfacade Nano's installation process is reliably simple. There's a specialized mounting system for every architecture.
- The Lumenfacade Nano's quick-joining system simplifies installation, allowing a universal power flow. It's literally a snap to install and to daisy chain luminaire runs from any end of the fixture.
- With only one type of fixture cable for all your needs, wiring mishaps are a thing of the past.
- The Lumenfacade Nano optical accessories are a natural extension of its design. The tool-free installation of accessories lets you add louvers or visors on-site.











Hiding in Plain Sight

Nothing says "perfect fit" like the Lumenfacade Nano. No matter where you want it, no matter what the project, there's a Nano designed especially for you.





Sales Offices and Manufacturing Facilities

Corporate Headquarters

1220 Marie-Victorin Blvd. Longueuil, QC J4G 2H9 Canada

T +1.877.937.3003 T +1.514.937.3003 F +1.514.937.6289

Boston, United States

14 Beacon Street, Suite 301 Boston, MA 02108 United States

T +1.877.937.3003 T +1.617.307.5700 F +1.617.350.9912



