

lumenpulse™



short
cylinders



Pendant Stem
Nano 9"



Pendant Cable
Nano 9"



Surface Mount
Nano 6"

GROWING SMALLER

We're extending the reach of our Cylinder family with two shorter versions. The Short Cylinder Nano and Small. Architects, lighting designers, and interior designers can now have all the tried and true technological and aesthetic features of our larger Cylinders in a smaller luminaire designed for more intimate settings.

NEW GROUND

With a number of bezel and finish colors, and a choice of Pendant or Surface Mount, these Cylinders continue to go where no cylinder has gone before.

The option of an integrated, remote, or surface-mount driver puts the Lumenpulse Nano and Small Cylinders exactly where you want them to be. The remote driver can be placed more than 50' away, ensuring a low profile for the luminaire.




Products shown:
Short Cylinder Small Pendant, Cable Mount, 6"
Short Cylinder Nano Pendant, Cable Mount, 6"



Products shown:
Short Cylinder Small Pendant,
Stem Mount, 6"

FAMILY MATTERS



The Lumenpulse Nano and Small Cylinders have all the market-leading performance that has made the Cylinder family such a success, but in a smaller package. This includes the same array of optics, outputs, field-changeable accessories, and long-lifetime thermal design.

With the introduction of these luminaires, the Cylinder family can now be scaled to more environments than ever before. Available in lengths from 6" to 23" with diameters of 2 $\frac{3}{4}$ " to 8", Lumenpulse Cylinders are the most versatile product family on the market.

REAL PERFORMERS

Completely control agnostic with best-in-class outputs of up to 2000lm and color temperatures from 2200K to 4000K. What this means for the educational, corporate, retail, and hospitality sectors is a quality of light that will give each space a signature unlike any other.



Product shown:
Short Cylinder Nano
Surface Mount, 9"

FEATURES & OPTIONS

Optics



Extra narrow spot 5° Very narrow spot 10° Narrow spot 15° Narrow 25° Medium 40° Wide 60° Very wide 80° True asymmetric wallwash Double asymmetric

Mounting



Flat canopy & cable Flat canopy & stem Deep canopy & cable Deep canopy & stem Surface

Installation type



Integrated driver Remote driver RM/NC Remote surface mount driver

Sizes



6" 9" Nano Small

Color temperatures



Color rendering

80+ | 90+ | 95+

Outputs

700lm | 1000lm | 1300lm | 2000lm

Control options


- On/Off control
- 0-10V, 1% linear or logarithmic
- Pro 0-10V, 0.1% linear or logarithmic
- DALI, 1% linear or logarithmic
- Pro DALI, 0.1% linear or logarithmic
- DALI Type 8
- Phase dimming

- Pro Phase dimming Lutron PRO® A-Series
- Lutron® Hi-lume Premier 0.1% EcoSystem®
- Lutron Caséta®
- Lutron Vive®
- nLight®
- DMX/RDM
- **lumen**talk

Options vary according to model. Consult specification sheets.

LITTLE WONDER

At 6" and 9" in length, with diameters of 2 3/4" and 4", field-changeable accessories, and a number of bezel and finish colors, it's little wonder the Nano and Small Cylinders can accent any aesthetic and be right at home in lower ceiling situations.



Product shown:
Short Cylinder Small Pendant,
Stem Mount, 9"

short cylinders // 6" - 9"

nano small

pendant (cable and stem)



short cylinder
nano pendant

short cylinder
small pendant

surface mount



short cylinder
nano surface mount

short cylinder
small surface mount

cylinders // 13" - 18" - 23"

nano small medium large

pendant (cable, stem, and track)



cylinder
nano pendant

cylinder
small pendant

cylinder
medium pendant

cylinder
large pendant

surface mount



cylinder
nano surface mount

cylinder
small surface mount

cylinder
medium surface mount

cylinder
large surface mount

wall mount (direct, indirect and direct/indirect)



cylinder
nano wall mount

cylinder
small wall mount

cylinder
medium wall mount

cylinder
large wall mount



Sales Offices and Manufacturing Facilities

Corporate Headquarters

1220 Marie-Victorin Blvd.
Longueuil, QC
J4G 2H9 Canada

T +1.877.937.3003
T +1.514.937.3003
F +1.514.937.6289

Boston, United States

14 Beacon Street, 3rd Floor
Boston, MA
02108 United States

T +1.877.937.3003
T +1.617.307.5700
F +1.617.350.9912

info@lumenpulse.com
www.lumenpulse.com

© Lumenpulse™

Printed in Canada
2021 / 09

139125_REV 2

